

Wanke Isabel, Prof. Dr. med.

Publikationen in peer reviewed Journals für 2008-2014

Etminan N, Beseoglu K, Barrow DL, Bederson J, Brown RD Jr, Connolly ES Jr, Derdeyn CP, Hänggi D, Hasan D, Juvela S, Kasuya H, Kirkpatrick PJ, Knuckey N, Koivisto T, Lanzino G, Lawton MT, Leroux P, McDougall CG, Mee E, Mocco J, Molyneux A, Morgan MK, Mori K, Morita A, Murayama Y, Nagahiro S, Pasqualin A, Raabe A, Raymond J, Rinkel GJ, Rüfenacht D, Seifert V, Spears J, Steiger HJ, Steinmetz H, Torner JC, Vajkoczy P, Wanke I, Wong GK, Wong JH, Macdonald RL. Multidisciplinary consensus on assessment of unruptured intracranial aneurysms: proposal of an international research group. *Stroke*. 2014 May;45(5):1523-30. (6,16)

Dammann P, Breyer T, Wrede KH, Stein KP, Wanke I, Grams AE, Gizewski ER, Schlamann M, Forsting M, Sandalcioglu IE, Sure U. Treatment of complex neurovascular lesions: an interdisciplinary angio suite approach. *Ther Adv Neurol Disord*. 2014 Jan;7(1):60-70. (0)

Killeen T, Wanke I, Mangiardi J, Cesnulis E. Ruptured, fusiform, distal lenticulostriate aneurysm causing intraventricular haemorrhage in a patient with antiphospholipid-negative Sneddon's syndrome. *Clin Neurol Neurosurg*. 2014 Jan;116:80-2. (1,234)

Ringelstein A, Mueller O, Goericke SL, Moeninghoff C, Sure U, Wanke I, Forsting M, Schlamann M. Benefit of Second Catheter Angiography in Patients with Nontraumatic Subarachnoidal Hemorrhage. *Clin Neuroradiol*. 2013 Nov 28. (1,379)

Mallik AS, Nuss K, Kronen PW, Klein K, Karol A, von Rechenberg B, Rüfenacht DA, Wanke I, Kulcsár Z. A new-generation, low-permeability flow diverting device for treatment of saccular aneurysms. *Eur Radiol*. 2014 Jan;24(1):12-8. (3,548)

Krasny A, Nensa F, Sandalcioglu IE, Göricke SL, Wanke I, Gramsch C, Sirin S, Oezkan N, Sure U, Schlamann M. Association of aneurysms and variation of the A1 segment. *J Neurointerv Surg*. 2014 Apr 1;6(3):178-83 (1,378)

Ardeshiri A, Chen B, Hutter BO, Oezkan N, Wanke I, Sure U, Sandalcioglu IE. Intramedullary spinal cord astrocytomas: The influence of localization and tumor extension on resectability and functional outcome. *Acta Neurochir (Wien)*. 2013;155:1203-1207. (1,52)

Damman P, Breyer T, Wrede K., Stein K-P, Wanke I, Grams A., Gizewski, E. Schlamann M, Forsting M, I. Sandalcioglu E, Sure U. Treatment of complex neurovascular lesions: an interdisciplinary angio suite approach. *Ther Adv Neurol Disord*. 2013.0:1-11. (0)

Hahnemann ML, Ringelstein A, Sandalcioglu IE, Goericke S, Moeninghoff C, Wanke I, Forsting M, Sure U, Schlamann M. Silent embolism after stent-assisted coiling of cerebral aneurysms: diffusion-weighted MRI study of 75 cases. *J Neurointerv Surg*. 2013. (0,923)

Kulcsar Z, Goricke SL, Gizewski ER, Schlamann M, Sure U, Sandalcioglu IE, Ladd S, Mummel P, Kastrup O, Forsting M, Wanke I. Neuroform stent-assisted treatment of intracranial aneurysms: Long-term follow-up study of aneurysm recurrence and in-stent stenosis rates. *Neuroradiology*. 2013;55:459-465. (2,824)

Macdonald RL, Higashida RT, Keller E, Mayer SA, Molyneux A, Raabe A, Vajkoczy P, Wanke I, Bach D, Frey A, Marr A, Roux S, Kassell N. Randomised trial of clazosentan, an endothelin receptor antagonist, in patients with aneurysmal subarachnoid hemorrhage undergoing surgical clipping (CONSCIOUS-2). *Acta Neurochir Suppl*. 2013;115:27-31. (0)

Ringelstein A, Schlamann M, Goericke SL, Monninghoff C, Sandalcioglu IE, El Hindy N, Forsting M, Wanke I. 3-year follow-up after endovascular aneurysm treatment with silk(R) flow diverter. *Rofo*. 2013;185:328-332. (2,758)

Simoës R, Monninghoff C, Dlugaj M, Weimar C, Wanke I, van Cappellen van Walsum AM, Slump C. Automatic segmentation of cerebral white matter hyperintensities using only 3D FLAIR images. *Magn Reson Imaging*. 2013. (1,991)

Wanke I, Forsting M, Rufenacht DA. Endovaskuläre Aneurysmatherapie. *Nervenheilkunde*. 2013;32:466-470. (0,281)

Hansen N, Zwarg T, Wanke I, Zierz S, Kastrup O, Deschauer M. MELAS/SANDO overlap syndrome associated with POLG1 mutations. *Neurol Sci*. 2012;33:209-212. (1,315)

Kulcsar Z, Augsburger L, Reymond P, Pereira VM, Hirsch S, Mallik AS, Millar J, Wetzel SG, Wanke I, Rufenacht DA. Flow diversion treatment: Intra-aneurysmal blood flow velocity and WSS reduction are parameters to predict aneurysm thrombosis. *Acta Neurochir (Wien)*. 2012;154:1827-1834. (1,52)

Macdonald RL, Higashida RT, Keller E, Mayer SA, Molyneux A, Raabe A, Vajkoczy P, Wanke I, Bach D, Frey A, Nowbakht P, Roux S, Kassell N. Randomized trial of clazosentan in patients with aneurysmal subarachnoid hemorrhage undergoing endovascular coiling. *Stroke*. 2012;43:1463-1469. (5,729)

Weber R, Weimar C, Blatchford J, Hermansson K, Wanke I, Moller-Hartmann C, Gizewski ER, Forsting M, Demchuk AM, Sacco RL, Saver JL, Warach S, Diener HC, Diehl A, PRoFESS Imaging Substudy Group. Telmisartan on top of antihypertensive treatment does not prevent progression of cerebral white matter lesions in the prevention regimen for effectively avoiding second strokes (PRoFESS) MRI substudy. *Stroke*. 2012;43:2336-2342. (5,729)

Weber R, Weimar C, Wanke I, Moller-Hartmann C, Gizewski ER, Blatchford J, Hermansson K, Demchuk AM, Forsting M, Sacco RL, Saver JL, Warach S, Diener HC, Diehl A, PRoFESS Imaging Substudy Group. Risk of recurrent stroke in patients with silent brain infarction in the prevention regimen for effectively avoiding second strokes (PRoFESS) imaging substudy. *Stroke*. 2012;43:350-355. (5,729)

Kulcsar Z, Houdart E, Bonafe A, Parker G, Millar J, Goddard AJ, Renowden S, Gal G, Turowski B, Mitchell K, Gray F, Rodriguez M, van den Berg R, Gruber A, Desal H, Wanke I, Rufenacht DA. Intra-aneurysmal thrombosis as a possible cause of delayed aneurysm rupture after flow-diversion treatment. *AJNR Am J Neuroradiol*. 2011;32:20-25. (2,928)

Macdonald RL, Higashida RT, Keller E, Mayer SA, Molyneux A, Raabe A, Vajkoczy P, Wanke I, Bach D, Frey A, Marr A, Roux S, Kassell N. Clazosentan, an endothelin receptor antagonist, in patients with aneurysmal subarachnoid haemorrhage undergoing surgical clipping: A randomised, double-blind, placebo-controlled phase 3 trial (CONSCIOUS-2). *Lancet Neurol*. 2011;10:618-625. (23,462)

Nelson PK, Lylyk P, Szikora I, Wetzel SG, Wanke I, Fiorella D. The pipeline embolization device for the intracranial treatment of aneurysms trial. *AJNR Am J Neuroradiol*. 2011;32:34-40. (2,928)

Panagiotopoulos V, Ladd SC, Gizewski E, Asgari S, Sandalcioglu EI, Forsting M, Wanke I. Recovery of ophthalmoplegia after endovascular treatment of intracranial aneurysms. *AJNR Am J Neuroradiol*. 2011;32:276-282. (2,928)

Sandalcioglu IE, Wanke I, Zappala V, Forsting M, Sure U. The management of arteriovenous malformations. *J Neurosurg Sci*. 2011;55:57-69. (0,4)

White PM, Lewis SC, Gholkar A, Sellar RJ, Nahser H, Cognard C, Forrester L, Wardlaw JM, HELPS trial collaborators. Hydrogel-coated coils versus bare platinum coils for the endovascular treatment of intracranial aneurysms (HELPS): A randomised controlled trial. *Lancet*. 2011;377:1655-1662. (38,278)

Breyer T, Wanke I, Maderwald S, Woermann FG, Kraff O, Theysohn JM, Ebner A, Forsting M, Ladd ME, Schlamann M. Imaging of patients with hippocampal sclerosis at 7 tesla: Initial results. *Acad Radiol*. 2010;17:421-426. (1,692)

Gizewski ER, Rosenberger C, de Greiff A, Moll A, Senf W, Wanke I, Forsting M, Herpertz S. Influence of satiety and subjective valence rating on cerebral activation patterns in response to visual stimulation with high-calorie stimuli among restrictive anorectic and control women. *Neuropsychobiology*. 2010;62:182-192. (2,675)

Kulcsar Z, Ernemann U, Wetzel SG, Bock A, Goericke S, Panagiotopoulos V, Forsting M, Ruefenacht DA, Wanke I. High-profile flow diverter (silk) implantation in the basilar artery: Efficacy in the treatment of aneurysms and the role of the perforators. *Stroke*. 2010;41:1690-1696. (5,729)

Kulcsar Z, Wetzel SG, Augsburg L, Gruber A, Wanke I, Ruefenacht DA. Effect of flow diversion treatment on very small ruptured aneurysms. *Neurosurgery*. 2010;67:789-793. (2,785)

Macdonald RL, Higashida RT, Keller E, Mayer SA, Molyneux A, Raabe A, Vajkoczy P, Wanke I, Frey A, Marr A, Roux S, Kassell NF. Preventing vasospasm improves outcome after aneurysmal subarachnoid hemorrhage: Rationale and design of CONSCIOUS-2 and CONSCIOUS-3 trials. *Neurocrit Care*. 2010;13:416-424. (2,467)

Moeninghoff C, Maderwald S, Theysohn JM, Kraff O, Ladd ME, El Hindy N, van de Nes J, Forsting M, Wanke I. Imaging of adult astrocytic brain tumours with 7 T MRI: Preliminary results. *Eur Radiol*. 2010;20:704-713. (3,222)

Moeninghoff C, Maderwald S, Theysohn JM, Schutt P, Gauler T, Kraff O, Ladd ME, Ladd SC, Wanke I. Imaging of brain metastases of bronchial carcinomas with 7 T MRI - initial results. *Rofo*. 2010;182:764-772. (2,758)

Schlamann M, Maderwald S, Becker W, Kraff O, Theysohn JM, Mueller O, Sure U, Wanke I, Ladd ME, Forsting M, Schaefer L, Gizewski ER. Cerebral cavernous hemangiomas at 7 tesla: Initial experience. *Acad Radiol*. 2010;17:3-6. (1,692)

Schumacher M, Schmidt D, Jurklies B, Gall C, Wanke I, Schmoor C, Maier-Lenz H, Solymosi L, Brueckmann H, Neubauer AS, Wolf A, Feltgen N, EAGLE-Study Group. Central retinal artery occlusion: Local intra-arterial fibrinolysis versus conservative treatment, a multicenter randomized trial. *Ophthalmology*. 2010;117:1367-75.e1. (5,454)

Wanke I, Forsting M. Endovascular treatment of arterio-venous malformations. *Nervenheilkunde*. 2010;29(3): 103-+ (0.208)

Wolf A, Schumacher M, Neubauer AS, Schmoor C, Gall C, Jurklics B, Wanke I, Solymosi L, Bruckmann H, Schmidt D, Feltgen N, European Assessment Group for Lysis in the Eye Studien Gruppe. Comparison of superselective intraarterial fibrinolysis with conservative therapy. use in patients with acute non-arteritic central retinal artery occlusion. *Ophthalmologe*. 2010;107:799-805. (0,617)

Hussmann B, Taeger G, Wanke I, Waydhas C, Schoch B, Nast-Kolb D, Lendemans S. Embolization of life-threatening intercostal hemorrhaging in a severely injured patient: A rarity in trauma care. *Unfallchirurg*. 2009;112:1070-1074. (0,610)

Kollia K, Maderwald S, Putzki N, Schlamann M, Theysohn JM, Kraff O, Ladd ME, Forsting M, Wanke I. First clinical study on ultra-high-field MR imaging in patients with multiple sclerosis: Comparison of 1.5T and 7T. *AJNR Am J Neuroradiol*. 2009;30:699-702. (2,928)

Monninghoff C, Maderwald S, Theysohn JM, Kraff O, Ladd SC, Ladd ME, Forsting M, Quick HH, Wanke I. Evaluation of intracranial aneurysms with 7 T versus 1.5 T time-of-flight MR angiography - initial experience. *Rofo*. 2009;181:16-23. (2,758)

Monninghoff C, Maderwald S, Wanke I. Pre-interventional assessment of a vertebrobasilar aneurysm with 7 tesla time-of-flight MR angiography. *Rofo*. 2009;181:266-268. (2,758)

Panagiotopoulos V, Gizewski E, Asgari S, Regel J, Forsting M, Wanke I. Embolization of intracranial arteriovenous malformations with ethylene-vinyl alcohol copolymer (onyx). *AJNR Am J Neuroradiol*. 2009;30:99-106. (2,928)

Panagiotopoulos V, Kastrup O, Wanke I. Endovascular treatment resolves non-hemorrhagic brainstem dysfunction due to tentorial dural AV fistula. *J Clin Neurosci*. 2009;16:317-320. (1,247)

Panagiotopoulos V, Moller-Hartmann W, Asgari S, Sandalcioglu IE, Forsting M, Wanke I. Onyx embolization as a first line treatment for intracranial dural arteriovenous fistulas with cortical venous reflux. *Rofo*. 2009;181:129-138. (2,758)

Wanke I, Jackel MC, Goericke S, Panagiotopoulos V, Dietrich U, Forsting M. Percutaneous embolization of carotid paragangliomas using solely onyx. *AJNR Am J Neuroradiol*. 2009;30:1594-1597. (2,928)

Wanke I, Lautermann J, Moller-Hartmann C, Forsting M. Endovascular treatment of epistaxis of the internal carotid artery. vessel occlusion and vessel preservation. *HNO*. 2009;57:953-957. (0)

Dietrich U, Wanke I, Wittenberg G. Ruptured aneurysm for fenestration of the distal A. basilar. *Rofo-Fortschr Gebiet Rontgenstrahlen Bildgeb Verfahr*. 2008;180:255-256. (2,758)

Gizewski ER, Goericke S, Wolf A, Schoch B, Stolke D, Forsting M, Wanke I. Endovascular treatment of intracranial aneurysms in patients 65 years or older: Clinical outcomes. *Am J Neuroradiol*. 2008;29:1575-1580. (2,928)

Kastrup O, Wanke I, Maschke M. Neuroimaging of infections of the central nervous system. *Semin Neurol*. 2008;28:511-522. (1,642)

Maderwald S, Ladd SC, Gizewski ER, Kraff O, Theysohn JM, Wicklow K, Moenninghoff C, Wanke I, Ladd ME, Quick HH. To TOF or not to TOF: Strategies for non-contrast-enhanced intracranial MRA at 7 T. *Magn Reson Mat Phys Biol Med*. 2008;21:159-167. (1,883)

Panagiotopoulos V, Gizewski E, Wanke I. Intra-aneurysmal navigation technique for stenting of a wide-neck basilar aneurysm with a new self-expandable stent: Technical note. *Minim Invasive Neurosurg*. 2008;51:240-243. (0,704)

Schlamann M, Kollia K, Wanke I. Plasmocytoma manifestation vs meningioma: Imaging and (1)H-magnetic resonance spectroscopy. *Rofo-Fortschr Gebiet Rontgenstrahlen Bildgeb Verfahr*. 2008;180:665-666. (2,758)

Schlamann M, Loquai C, Goericke S, Forsting M, Wanke I. Cerebral MRI in neurological asymptomatic patients with malignant melanoma. *Rofo-Fortschr Gebiet Rontgenstrahlen Bildgeb Verfahr*. 2008;180:143-147. (2,758)

Wanke I. Stents for intracranial aneurysms: indications, limits and non indications. *Interv Neuroradiol.* 2008;14 Suppl 1:60-62. (0)

Wanke I, Forsting M. Stents for intracranial wide-necked aneurysms: More than mechanical protection. *Neuroradiology.* 2008;50:991-998. (2,824)

Kumulativer Impact Factor:

	Erstautor	Koautor	Letztautor	Gesamt
Anzahl	6	32	16	54
Summe	6,241	130,426	44,744	181,411

Buchveröffentlichungen

Herausgegebene Bücher

Forsting M, Uhlenbrock D, Wanke I. MRT der Wirbelsäule und des Spinalkanals. 2. vollständig überarbeitete Auflage, 2009. Thieme, Stuttgart.

Forsting M, Wanke I. Intracranial Vascular Malformations and Aneurysms: From Diagnostic Work-Up to Endovascular Therapy. 2. vollständig überarbeitete Auflage, 2008. Springer, Berlin Heidelberg.

Buchkapitel

Wanke I, Forsting M. Subarachnoidalblutung. In: Praxis der Intensivmedizin: konkret, kompakt, interdisziplinär. Wilhelm W (Eds). 2. aktualisierte und erweiterte Auflage, 2011, 2013. Springer, Berlin Heidelberg.

Wanke I, Göricke S, Schlamann M, Schilling T, Putz R, Horn P. Intrakranielle Stenosen und Verschlussprozesse. In: Gefäßmedizin: Therapie und Praxis, 2. aktualisierte und erweiterte Auflage. Cissarek T, Gray W, Kröger K, Zeller T (Eds). 2013. ABW Wissenschaftsverlag GmbH, Berlin.

Wanke I, Forsting M, Stapf C. Therapie zerebraler vaskulärer Malformationen. In: Therapie und Verlauf neurologischer Erkrankungen. Brandt T, Diener HC, Gerloff C (Eds). 6. Vollständig überarbeitete und erweiterte Auflage, 2012. Kohlhammer, Stuttgart.

Wanke I, Westphal M, Rufenacht DA. Bildgebende Diagnostik und Therapie spinaler, vaskulärer Malformationen. In: Therapie und Verlauf neurologischer Erkrankungen. Brandt T, Diener HC, Gerloff C (Eds). 6. Vollständig überarbeitete und erweiterte Auflage, 2012. Kohlhammer, Stuttgart.

Wanke I, Forsting M. Subarachnoidalblutung. In: Praxis der Intensivmedizin: konkret, kompakt, interdisziplinär. Wilhelm W (Hrsg.). 1. Auflage, 2011. Springer, Berlin Heidelberg.

Wanke I, Dietrich U, Horn P. Intracranial stenoses and occlusive processes. In: Vascular Medicine: Therapy and Practice. Cissarek T, Gray WA, Kröger K, Santosa F, Zeller T (Eds). 2010. ABW Wissenschaftsverlag GmbH, Paderborn.

Wanke I, Dietrich U, Horn P. Intrakranielle Stenosen und Verschlussprozesse. In: Gefäßmedizin: Therapie und Praxis. Cissarek T, Kröger K, Santosa F, Zeller T (Eds). 2009. ABW Wissenschaftsverlag GmbH, Paderborn.

Wanke I, Meyer F. Bildgebende Diagnostik in der spinalen Neurochirurgie. In: Spinale Neurochirurgie: Operatives Management von Wirbelsäulenerkrankungen. Börm W, Meyer F (Eds). 2009. Schattauer, Stuttgart.

Übersichtsarbeiten

Wanke I, Kulcsar Z, Rüfenacht D, Wetzel S, Reisch R. Clivales Foramen magnum-Meningeom: Präoperative Onyxembolisation mit nachfolgender endoskopisch assistierter Mikroneurochirurgie. InFo Neurologie & Psychiatrie. 2013;1:24-25.

Wetzel SG, Kulcsar Z, Rüfenacht DA, Wanke I
Bildgebung bei TIA und Hirnschlag. Parenchym, Perfusion und Penumbra.
Info Neurologie & Psychiatrie 2012, 2: 9-12.

Wanke I, Kulcsar Z, Wetzel S, Rüfenacht D
Endovaskuläre Therapie: Schnellere Rekanalisierung bei Verschlüssen großer
Gefäße.
InFo Neurologie & Psychiatrie 2012; 2: 14-16

Wanke I, Forsting M
Radiologische Diagnostik des Ohrgeräuschs und therapeutische Optionen
Radiologie up2date, 1/2010, S. 55-72

Drittmittel

VPH-DARE@IT, Seventh Framework Programme, European Commission:

Virtual Physiological Human: DementiA Research Enabled by IT (VPH-DARE@IT):
FP7-ICT-2011-9-601055. Project coordinator: University of Sheffiled (Prof. Alejandro
Frangi, PI) April 2013 to March 2017. Project Partner: Klinik Hirslanden (PI: Prof.
Isabel Wanke): 218.363 €